

Catalog No. 11



Property Protection Pays

The Cyclone Line of "Red Tag" Lawn Tence and Gates

% % %

3/// 11/1/

%///. %///. 11/1 **%**

"//// "////

1///

11/h 11/h ////. /////

////. ////.

in Wire and Iron

ALSO Flower-bed Border, Trellis, Arches and Farm Gates. Complete Fencing for Residences, Schools, Tennis Courts, Parks, Churches, Public and Private Institutions, Woven Wire Cemeteries. Partitions, Window and Sky-Wire Work light Guards. of All Kinds.



Look for the "Red Tag" the Mark of Quality

MANUFACTURED BY

Syclone Fence Company

Waukegan, Illinois

Factories: Waukegan, Illinois Cleveland, Ohio Fort Worth, Texas Branch Offices

Chicago Minneapolis St. Paul Indianapolis Detroit Rochester Philadelphia New York Baltimore Kansas City Western Distributors

Standard Fence Company, Oakland, Calif.

Sales Offices: San Francisco Los Angeles

Northwest Fence & Wire Works Portland, Ore.

W. W. W.

////

1///

1///

*///. *///.

%

////.







Cleveland, Ohio




THE Cyclone Fence Company is a national organization, the largest in the world devoted exclusively to the manufacture of Ornamental Fencing and Gates. Our volume of production exceeds that of all other manufacturers of fencing and gates combined.

Together with the tremendous manufacturing facilities at our command, we maintain sales offices throughout the country. Thus, Cyclone customers are insured fence service that is complete, prompt and reliable.

You are invited to write for detailed information and suggestions regarding fencing best adapted to your needs. The benefit of our many years of fencebuilding experience is at your disposal.



Points of Superiority in Cyclone Lawn Fence



Original Designs Cyclone Lawn Fence patterns are closely woven into beautiful, symmetrical designs that are attractive and artistic.

Even Picket Tops Every foot of Cyclone Fabric has picket tops perfectly even. The ends are doubled over and securely locked into the top cables.

Uniform Spacing of Pickets

Spacing between pickets is absolutely uniform. Pickets are woven as closely together as 13/8 inches.

Deep Crimped Pickets

The extra-deep crimp of the picket wires forms an absolute lock for the cables, preventing their being pushed up or down on the pickets.

Triple Reverse Twist

Horizontal cable wires are twisted with a triple twist between pickets. The cable twist is reversed on the pickets instead of between them, forming an absolute lock on the pickets. Cyclone Fence cannot sag; the cables with reverse twists make proper allowance for contraction and expansion of wire due to atmospheric changes.

Two Top Cables Closely Spaced

The two top cables are spaced 23/8 inches apart and give a double lock to the pickets. The rest of the cables are spaced 6 inches apart. The two top cables increase the strength of the fabric to withstand heavy strain at a point where strength is most needed.

Heavy, Galvanized Wire

Cyclone Fence is made of heavy, galvanized wire. Cyclone Quality is maintained in all the wire used in Cyclone Fence.

Fits Any Ground Cyclone Fabrics are adjustable to any uneven ground. Each cable wire is stretched to the proper tension independently of the others so the pickets will always stand in an upright position.

Careful Inspection

Every roll of Cyclone Fence passes rigid inspection and must conform to our high standard of perfection.

Easily Erected; Economical Any one can easily erect Cyclone Ornamental Lawn Fence without any previous experience. With ordinary wood posts and 2 x 4 top rail, a very attractive, substantial, permanent fence is secured at a surprisingly

Look for the "Red Tag"


The Cyclone "Red Tag" — the mark of quality on all Cyclone Products — insures you full value, quality, service and lasting satisfaction with your purchase of fencing and gates. "Look for the Cyclone 'Red Tag', on every roll of fence - on every gate - it's your protection.



Fabric



Cyclone Ornamental Lawn Fence Fabrics



Cyclone Style "F" Fabric on Wood Posts

Specifications

Style "F" Fabric

Style "F" is our most popular ornamental fence fabric for front yards, back yards or division fence. Pickets are of No. 9 heavily galvanized wire spaced 3 inches apart at top, 13/8 inches apart at bottom. Cables are of heavily galvanized wire, spaced 6 inches apart, except the two top cables, which are spaced 23/8 inches apart.

List Prices, Bottom of Page 5

Specifications

Style "L-Extra" Fabric

Style "L-Extra" is a high grade, moderatelypriced fence. Specially adapted for back yards and division fencing. Pickets of No. 9 heavily galvanized wire are spaced either 17/8 inches or 3 inches apart. Cables are of heavily galvanized wire spaced 6 inches apart, except the two top cables, which are spaced 23/8 inches apart.


List Prices, Bottom of Page 5

Specifications


Style "S" Fabric

Style "S" is the closestspaced ornamental fence fabric made. Adds a beautiful and finished appearance to property enclosed and is exceptionally strong and durable. Pickets are spaced 13/8 inches apart from top to bottom of fence. Cables spaced 6 inches apart, except the two top cables, which are spaced 23/8 inches apart.

List Prices, Bottom of Page 5



Cyclone Style "L-Extra" Fabric on Wood Posts



Cyclone Style "S" Fabric on Wood Posts

For the convenience of our customers, we stock our Ornamental Fabrics in 20-rod rolls



Cyclone Flower-bed Border and Trellis

HE 22-inch border shown herewith is designed especially for the protection of flower-beds in city parks, also for terraces and public lawns. For residence lawns and gardens,




the 16-inch border affords ample protection against dogs, cats and romping children.

Will conform to any shape or size of flower-bed. Can be taken up and used from year to year. Pickets are of No. 9 and cables are of No. 13 heavily galvanized wire. Made in three heights. Put up in 10- and 20-rod rolls.

Cyclone "L-Extra" Trellis

A very neat and artistic trellis suitable for climbing vines and flowers. Retains its shape perfectly; is easily placed in position and will last indefinitely. Corrugated wires are of No. 10 and cables are of No. 13 heavily galvanized wire. Made in three widths. Put up in 10- and 20-rod rolls.



List Prices Per	rfection	Flower-hed	Rorder
-----------------	----------	------------	--------

List	Prices Perfection Flower-bed	Border	List Prices Cyclone	e "L-Extra" Trellis
Number of Cables	Height, Inches from top to bottom of pickets	List Price per Lineal Foot	Width, Inches	Price per Lineal Foot
3	16 to extend 12 inches above grade		18	\$0.14
4	22 to extend 18 inches above grade		24 .	.16
5	28 to extend 24 inches above grade List Prices Subject to Discount	.15	30	.18
	List Frices Subject to Discount		. List Prices Subj	ect to Discount

List Prices of Cyclone Ornamental Lawn Fence Fabrics

	Prices	are in	each	case per	lineal	l foot						
Height of Fabric, inches 24					54	-60	66	72	78	84	00	06
Number of cables 5	6	7	8	9	10	11	2	13	14	15	16	17
Style "L-Extra", 3-inch Mesh\$0.12	\$0.14	\$0.16	\$0.18	\$0.20	\$0.22	\$0.26	\$0.30	\$0.34	\$0.20	\$0.42	PO 46	00.50
Style L-Extra, 1/8-men Mesn18	.20	.22	.25	.28	40.22	ψ0.20	ψ0.50	φ0.54	φυ.36	ф0.42	\$0.46	\$0.50
Style "F",			.24	.28	.31	.36		. 1				
Style "S",	.23	.27	.31	.35	.39	.44	.49	.54	.60	.66	.72	.78

List Prices Subject to Discount



Cyclone Complete Fence

General Information

What "Complete Fence" Means By "COMPLETE FENCE" we mean that we furnish all necessary fabric, gates, steel posts, railing and all fittings necessary to erect fence. Each complete-fence job is built in our factory according to purchaser's diagram as explained on opposite page.

End, Gate and Corner Posts All end, gate and corner posts for CYCLONE COMPLETE FENCE are made of heavy tubular steel. See specifications under each style of COMPLETE FENCE for sizes of posts used.

All-Galvanized or Painted COMPLETE FENCE is furnished either all galvanized, or with galvanized fabric and frame work painted black. We recommend the all-galvanized CYCLONE Fence as being worth the additional cost over the painted fence.

Intermediate Posts Each section of COMPLETE FENCE is divided into equal spaces so all intermediate posts will be set not over 8 feet apart. Posts and post tops are specially designed for each style of COMPLETE FENCE, and are not interchangeable in various styles of fencing. Drawing and description of each post and post top appear on the page where fence is illustrated.

Steel Post-and-Rail Construction It is just as easy to erect our steel post-and-rail construction as to use ordinary wood posts. Posts are extraheavy high-grade tubular steel. The rail passes through the malleable post tops, acting as a double brace, and keeping the fence in perfect alignment.

Posts Set in Concrete Altho not absolutely necessary, we recommend that all posts be set in concrete so as to insure a sturdy fence with perfect alignment. Be sure that post foundations are properly crowned at top so that water will drain away from the post. This will protect the post against moisture at the point where post enters the concrete.

How to Choose Some styles of COMPLETE FENCE are more practical in certain heights for certain uses. For homes and front lawns, a pattern 36, 42 or 48 inches high would be most suitable. For gardens and back yards a higher fence is sometimes preferred.

Posts for Stone, Brick or Concrete Walls When necessary to erect fence on brick or concrete wall, posts can be built into the wall. Where the wall is already constructed, simply drill holes, set in the posts and fill around them with cement. See instructions on opposite page.

Heights of Fence and Fabric Where COMPLETE-FENCE pattern shows a top rail with cable wire or cresting above, the complete fence is about 6 inches higher than the fabric used. For example, a 42-inch Imperial COMPLETE FENCE uses 36-inch fabric. In Climax and Safeguard Fence, the height of the fabric is the height of the complete fence. In ordering COMPLETE FENCE state the style and height of the fence. State also height of fabric.

Fence Fittings All fittings are of heavy, high-grade malleable iron and pressed steel. Exceptionally strong and durable.

Ratchet Cable-Stretchers Each cable wire is drawn to the proper tension independently of the others by a ratchet attached to end, gate or corner post. This very simple fitting makes fence erecting easy, and provides a means of keeping fabric drawn to proper tension at all times.



How to Make Diagram, and Information We Require for Building Complete Fence

In making your diagram for COMPLETE FENCE, indicate the fence by straight lines, and the gates by openings. See diagram, Fig. No. 1. Make an "O" at each point where you want corner, end or gate posts. Give width of gate openings. For drive gates, state whether single or double gates are wanted. Give exact measurement of each stretch of fence, and total measurements, including gate openings. Use care to see that all measurements are correct, as the fence will be made up according to the diagram sent us.

Mention style of fence and fabric wanted. Give height and state whether fence is to

Grade Fig. No. 2 Gate Drive Gate

Sample Diagram
Fig. No. 1.

have galvanized or painted finish. If fence is to be built on wall or curb, give full details. State whether wall or curb is built, or will be built when fence is erected. State height and width, also material of which it is constructed. Specify whether gates shall be height of fence only, or total height of fence plus the height of wall or curb. Cyclone COMPLETE FENCE will conform to any ordinary grade. If grade is extreme, it should be shown as indicated by diagram, Fig. No. 2.

How to Figure Cyclone Complete Fence

COMPLETE FENCE includes the fabric, posts, rail, gates, if any, and all fittings used.

The price of all COM-PLETE FENCE is quoted per lineal foot.


Gates in fence line are measured as fence and charged for at the same

price per lineal foot, with an additional charge of \$3.00 for each walk gate and \$6.00 for each drive gate (single or double) added to the net price, when COMPLETE FENCE is not over 4 feet high.

Where gates are higher than 4 feet, and not over 5 feet, we charge \$4.50 additional for each walk gate and \$9.00 additional for each drive gate (single or double).

Where gates are higher than 5 feet and not over 6 feet, we charge \$6.00 additional for each walk gate and \$12.00 additional for each drive gate (single or double).

The above prices do not apply to gates on page 13. Where there are several gates with a small quantity of fence, we will make a reasonable charge to fit the case.



Showing End and Line-Post Construction Used for Imperial Fence with Style "F" Fabric. Concrete, should be Crowned as Indicated.

How to Erect Cyclone Complete Fence

In digging post-holes be sure to follow measurements on diagram carefully for spacing, and see that all posts are set at proper height, and in perfect line. Each stretch of fence is designated as Section "A," "B," "C," etc. Top rail and fabric are made and marked to fit

each section of fence as shown on diagram. Tags on each bundle show to what section the pieces belong.

With painted construction the posts and top rail are given a heavy coat of metal preservative paint before leaving factory. Enough special high-grade black paint is furnished to thoroughly paint frame work after fence is erected. With galvanized posts and rail, no paint is required.

Blue print diagram for erecting any CYCLONE COMPLETE FENCE always accompanies shipment. Any inexperienced person can do the work by following the few directions given.





Imperial Fence, 42-inch, with 36-inch Style "F" Fabric

Cyclone Imperial is a strikingly handsome style of fencing suitable for any home. Its quiet dignity and simplicity make it the choice of all who appreciate refinement in home surroundings.

Style "L-Extra" or Style "S" fabric can also be used with Imperial construction.

Specifications

End, gate and corner posts, "J," are of heavy tubular steel, 2 inches in diameter. Intermediate posts, "K," are made of two 1%-inch heavy tubular steel uprights. Fabric passes between the two uprights and gives fence a finished appearance on each side.

Rail is heavy tubular steel, 13% inches in diameter. Top cable is four-strand heavily galvanized braided wire. Frame work all heavily galvanized or painted black, as ordered. When ordering, give full height of fence, also height of fabric. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Imperial Complete Fence Prices are in each case per Lineal Foot

Height of Complete Fence, inches 30 Style "L-Extra," \$0.74 Style "F," .79 Style "S," .82	36 \$0.79 .85 .89	\$0.85 .90 .96	48 \$0.91 .98 1.06	54 \$1.03 1.11 1.19
---	----------------------------	----------------------	-----------------------------	------------------------------

List Prices Subject to Discount

When Higher Fence is Wanted, Prices Quoted on Application





Royal Fence, 42-inch, with 36-inch Style "F" Fabric

Royal Fence is a graceful, dignified design which will harmonize with and add character and charm to property enclosed. Ornamental cresting top gives a very artistic, sturdy and finished appearance to fence. Style "L-Extra" or Style "S" fabric can also be used with Royal construction.

Specifications

End, gate and corner posts, "J," are of heavy tubular steel, 2 inches in diameter. Intermediate posts, "C," are made of two 13%-inch heavy tubular steel uprights. Fabric passes between the two uprights and gives fence a finished appearance on each side.

Rail is heavy tubular steel, 13% inches in diameter, topped with heavy malleable cresting. Frame work all heavily galvanized or painted black as ordered. When ordering, give full height of fence, also height of fabric. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Royal Complete Fence Prices are in each case per Lineal Foot

Height of Complete Fence, inches 30 Style "L-Extra," \$1.04 Style "F," 1.09 Style "S," 1.12	36 \$1.09 1.15 1.19	\$1.15 1.20 1.26	48 \$1.21 1.28 1.36	\$1.33 1.41 1.49
	1.19	1.20	1.50	1.49


List Prices Subject to Discount

When Higher Fence is Wanted, Prices Quoted on Application



PAGE NINE






Corinthian Fence, 42-inch, with 36-inch Style "F" Fabric

Corinthian Fence imparts a pleasing, artistic touch to the home. Top rail equipped with ornamental cresting. Style "L-Extra" or Style "S" fabric can also be used with Corinthian construction. End, gate and corner posts, "J," and intermediate posts, "F," are of heavy 2-inch tubular steel. Rail is heavy tubular steel 1% inches in diameter. Frame work all heavily galvanized or painted black, as ordered. When ordering, give full height of fence, also height of fabric. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Corinthian Complete Fence Prices are in each case per Lineal Foot

Trices are in case pro			40	
Height of Complete Fence, inches	36	42	48	54
Height of Complete Pence, Inches	\$0.96	\$1.01	\$1.06	\$1.16
Style "L-Extra,"\$0.92	¥ - · · · ·	T	φ1.00	1.04
Style "F,"	1.02	1.06	1.13	1.24
Style F,	1.06	1 12	1 21	1.32
Style "S." 1.00	1.00	1.12	1.21	1.02

List Prices Subject to Discount When Higher Fence is Wanted, Prices Quoted on Application



Suburban Fence, 42-inch, with 36-inch Style "S" Fabric


Suburban Fence is one of our most practical and attractive patterns. The offset post tops with braided cable wire lend a very pleasing finish to the fence. Style "L-Extra" or Style "F" fabric can also be used with Suburban construction. End, gate and corner posts, "J," and intermediate posts, "L," are of heavy 2-inch tubular steel. Rail is heavy tubular steel 13% inches in diameter. Frame work all heavily galvanized or painted black, as ordered. When ordering, give full height of fence, also height of fabric. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Suburban Complete Fence

Prices are in each case po	er Lineal Foot			
Height of Complete Fence, inches 30 Style "L-Extra," \$0.64 Style "F," .69 Style "S," .72	36 \$0.68 .74	\$0.73 .78 .84	\$0.78 .85 .93	\$0.88 .96 1.04
List Prices Subject to	Discount			

When Higher Fence is Wanted, Prices Quoted on Application






Colonial Fence, 42-inch, with 42-inch Style "F" Fabric

Very popular for residences, front or back yards and division fence. Built in heights suitable for private grounds, parks, cemeteries, etc. Any Cyclone fabric can be used with Colonial construction. End, gate and corner posts, "J," and intermediate posts, "F," are of heavy 2-inch tubular steel. Rail is heavy tubular steel 13% inches in diameter. Frame work all heavily galvanized or painted black, as ordered. In Colonial Fence, the height of fence and height of fabric are the same. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Colonial Complete Fence Prices are in each case per Lineal Foot

Height of Complete Fence, inches 30 Style "L-Extra," \$0.64 Style "F," 69 Style "S," 72 List Prices Subject to Discount	36 42 \$0.68 \$0.73 .74 .78	\$0.78 .85 .93	54 \$0.88 .96 1.04
---	-----------------------------------	----------------------	-----------------------------

When Higher Fence is Wanted, Prices Quoted on Application



Climax Fence, 42-inch, with 42-inch Style "L-Extra" Fabric

Climax is a moderately-priced fence used extensively for the sides and rear of property when one of our more ornamental designs of fence encloses the front. Meets all requirements for utility and durability.

Style "F" or Style "S" fabric can also be used with Climax construction.

End, gate and corner posts, "J," are of heavy 2-inch tubular steel. Intermediate posts, "H," are heavy 15%-inch tubular steel. All posts are fitted with malleable ball tops. No top rail is used. Braces for end, gate and corner posts are heavy tubular steel 13% inches in diameter. Frame work furnished all galvanized, or painted black, as ordered. In Climax Fance, the height of fance and height of fabric are the same. See pages 6 and 7 on how to order COMPLETE FINCE. Fence, the height of fence and height of fabric are the same. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Climax Complete Fence

Height of Complete Fence	inches 30	per Lineal Foot			
Style "I Fytre"	menes 30	36	42	48	54
Style "E"	\$0.40	\$0.45	\$0.51	\$0.56	\$0.61
Style F,		.51	.56	64	.70
Style S,		.56	64	71	.78
	List Prices Subject to	Discount	.01	./1	./0

When Higher Fence is Wanted, Prices Quoted on Application





Majestic Chain Link Fence

MAJESTIC Fence fittingly marks the attainment of perfection in the art of fence building. Its beautiful proportions, simplicity, dignity and exclusive design make it a particularly appropriate enclosure where requirements are the most exacting.

Specifications

Majestic Fence is built in standard heights. Fabric is furnished using No. 9 gauge heavily galvanized steel wire woven in $1\frac{1}{2}$ or 2-inch chain link mesh. Entrance gates are furnished to match fence.

End, gate and corner posts, "J," are of heavy tubular steel, $2\frac{1}{2}$ inches in diameter. Intermediate posts, "K," are made of two $1\frac{3}{6}$ -inch heavy tubular steel uprights. Fabric passes between uprights and gives fence a finished appearance on each side.

Rail is heavy tubular steel, 13% inches in diameter. Top cable is four-strand heavily galvanized braided wire. Frame work all heavily galvanized or painted black, as ordered. See pages 6 and 7 on how to order COMPLETE FENCE.

List Prices of Majestic Complete Fence

Prices are in each case per Lineal Foot


Height of Complete Fence, inches	\$1.02 1.10	48 \$1.09 1.19	54 \$1.22 1.34	\$1.35 1.49
----------------------------------	----------------	----------------------	----------------------	----------------

Note: Height of fabric is 4 inches less than height of fence

List Prices Subject to Discount

L





Safeguard Chain Link Fence


CAFEGUARD Fence is especially suited to the requirements of suburban homes, parks, schools, municipal property, etc. Its elegance of design and sturdy construction make

it the correct fencing where attractiveness and effective protection must be considered.

Specifications


Safeguard Fence is built in 4-, 5-, and 6-foot heights. Fabric either No. 6 or No. 9 gauge heavily galvanized wire woven in a 2-inch chain link mesh. No. 9 wire woven also in a 1½-inch mesh. For the 1½-inch fabric, selvage is regularly finished with barbed top and knuckled bottom. Top selvage to dress 1 inch above top rail. When desired, top selvage is finished with smooth knuckled finish to dress below top rail. For the 2-inch fabric, both top and bottom selvages are finished either barbed or with smooth knuckled finish, as desired.

Entrance gates to match fence. Posts, top rail and braces are of heavy, full weight tubular steel. Post tops and fittings are of heavy, high-grade malleable iron. Furnished all heavily galvanized or with frame work painted. We recommend that all posts be set in concrete. In Safeguard Fence, the height of the fabric is the height of fence. Send diagram of proposed fencing as explained on page 7. Prices furnished on request.




Safeguard Gate

Standard Gates used with Safeguard Fence made either single for walk entrances, or double or single for driveway entrances. Frames, heavy tubular steel. Fabric furnished to match fence. Equipped complete with latch attachments and hinges. Prices furnished on request.











Cyclone Tennis-Court Net Posts, heavy tubular steel with ratchet on one post, per pair, \$10.00 net

Tennis-Court Enclosures and Back Stops


Cyclone Tennis-Court Enclosures and Back Stops are made of Cyclone Chain Link Fabric, using No. 12 gauge heavily galvanized steel wire woven in a 1½-inch diamond mesh. Chain Link Fabric, on account of its strength and durability, will last for years. It is not to be compared with the light wire poultry netting formerly used for tenniscourt enclosures.

Furnished regularly in 10- and 12-foot heights; the 12-foot height is furnished by using two 6-foot heights.


List Prices Tennis-Court Enclosures and Back Stops

Prices are in each case per lineal foot 10-foot height, price per lineal foot....\$2.00 12-foot height, price per lineal foot.... 2.40

List Prices Subject to Discount Special prices for special equipment on application



How to Make Diagram for Complete Enclosure




How to Make Diagram for Back Stops



netting.

Cyclone Back Stops





No. 3 Cemetery Arch

Specifications

UPRIGHT posts are of extra-heavy 2-inch tubular steel joined with malleable clips on 1½-inch tubular steel braces. Scrollwork is heavy wrought iron, securely riveted. Lettering is of heavily galvanized sheet steel with either silver-aluminum or gold-bronze finish. Outside post tops can be either ball tops or crosses, and cross in center can be left off when desired. Furnished all-galvanized or painted black, as desired. When painted, post tops are regularly finished in black, but can be finished in silveraluminum or gold-bronze, if preferred. Arch is regularly built to give 11 feet clearance in height, but can be built higher if desired.

Price, including side entrances, also not more than 20 letters (without gates), for 10- or 12-foot arch List Price, \$170.00

Price, without side entrances (without gates) List Price, \$100.00

For more than 20 letters, slight additional charge is made. The standard size for this arch is 12 feet for main driveway, $3\frac{1}{2}$ feet for walk gates and covers a space outside to outside of 23 feet 8 inches.

List Prices Subject to Discount

For Special Purposes, Where Larger or Heavier Arches are Required, Prices on Application



No. 2 Cemetery Arch

SPECIFICATIONS - Upright posts are of extra-heavy 2-inch tubular steel joined with malleable clips on 11/8inch tubular steel braces. Scrollwork, wrought iron, securely riveted. Lettering is of heavily galvanized sheet steel with either silver-aluminum or gold-bronze finish. Any lettering de-sired can be used. Post tops are finished regularly as shown, with or without cross in center.

Furnished all-galvanized or painted black, as desired. When painted, post tops are regularly finished in black, but can be finished in silver-aluminum or gold-bronze, if preferred. Arch is regularly built to give 11 feet clearance in height, but can be built higher

Price, including not more than 20 letters (without gates), for 8-, 10- or 12foot opening, . . List Price, \$100.00

List Price Subject to Discount For more than 20 letters, slight additional charge is made

Prices of Special Size Arches on Application



No. 2 Cemetery Arch



No. 1 Country Home Arch

A name like this indicates the individuality of the owner. It is a merited mark of distinction to the owner as well as to the farm and its products. Posts are of extra-heavy 2½-inch tubular steel. Lettering is of heavily galvanized sheet steel, with either silver-aluminum or gold-bronze finish. Any lettering desired can be used. Furnished all galvanized or painted black, as desired.


When painted, post tops are regularly finished in black, but can be furnished in silver-aluminum or gold-bronze if desired.

Regularly built to give 11 feet clearance in height, but can be built higher.

Price of arch, including not more than 20 letters (without gates), List Price, \$60.00

Walk Gate Arch

Gives the home individuality and commands respect for your property. Posts are of extra-heavy 2-inch O.D. tubular steel, joined with malleable clips on 11/8-inch tubular steel braces. Regularly built 9 feet high, giving 7 feet 6 inches clearance in height. Furnished all galvanized or painted.



Price of arch, including letters, complete with

Gate for 3½-foot opening.....\$60.00 Gate for 4 -foot opening..... 62.00 Gate for 5 -foot opening..... 64.00 Smallest letters used are about 3 inches wide. Width of arch governs number of letters that can be placed in arch.

List Prices Subject to Discount



CYCLONE GATES

General Information

The Term "Opening" "Opening" means distance between posts. Gates made with proper allowance for hinges and latch to fit opening.

Method of Giving Sizes of Gates on Orders When ordering gates, first state height in INCHES; then state opening in FEET, thus: 42" x 3'.

Frames

Frames are made of high-grade, heavy steel tubing. Size of tubing depends on size of gate.

Fabric

In Ornamental Gates, any Cyclone Fabric may be used to match the fence. Universal Gates use only Style "F" Fabric. National Gates use only Style "S" Fabric. Style "A" Gates use square mesh heavily galvanized fabric. All fabrics are woven into gate frames, leaving frames free from holes.

Gates to be used with fabric erected on wood posts are made in heights so that top of gate frame lines up with top of fence.

Finish

All Gates furnished regularly with heavily galvanized fabric, frames and fittings painted black. Gates furnished ALL heavily galvanized, when so ordered. Unless otherwise ordered,

gates with black painted frames and fittings will be shipped. BE SURE TO STATE ON ORDER KIND OF FINISH WANTED

Fittings for Wood or Steel Posts Latch and hinges are always furnished for wood posts.

When so desired, we furnish, at slight additional charge, gate latch and hinges to fit any other make of tubular steel posts up to 3 inches outside diameter. When these are wanted, be sure to state on order "With Steel Post Fittings." State kind and give outside diameter size of post.

List Prices, and Prices of Special Size Gates List prices apply only to gates in standard heights and opening sizes. For gates over 48 inches in height, add 20 per cent. to list for each additional 6 inches.

For all special size walk or singledrive gates (either width or height) we charge the price of our next larger regular size gate plus \$1.00 net. For special size double-drive gates, we charge the price of our next larger regular size gate plus \$2.00 net.

For other details of Cyclone Gates, see specifications on following pages.

Note: All ornamental gates over 4 feet up to and including 8-foot opening have one upright cross-bar. Gates for 10- and 12-foot openings have two cross-bars, and for 14-foot opening three upright cross-bars, to give extra bracing and strength. All gates 8-foot opening and over are provided with adjustable truss-rod to prevent sagging.



CYCLONE GATES




Cyclone Ornamental Walk Gates, Style "F"

Frames made of heavy, steel tubing 11/8 inches outside diameter. Style "F" fabric regularly used. Style "L-Extra" fabric or Style "S" fabric furnished without extra charge on special order. Regularly furnished with scroll tops, also hinges and spring latch for wood posts. See page 17 for complete instructions on how to order Ornamental Walk Gates.


Cyclone Universal Walk Gates

Frames made of heavy, steel tubing 1½ inches outside diameter. Fabric is our popular, close-mesh, ornamental pattern, Style "F," heavily galvanized. Scroll tops not furnished on Universal Gates. Gates furnished complete with hinges and latch for wood posts. See page 17 for complete instructions on how to order Universal Gates.



Universal Walk Gate

			Lis	t Pr	ices		
Hei	ght,	Ir	ches	Ope	ning, F	eet	Each
36,	42	or	48-		3		\$3.80
36,	42	or	48-		31/2		4.20
36,			48-		4		4.80
				Subject			
F	or I	High	ner and	Special	Width	Gates,	See
Pag	e 17	fo	r Price	S			



Ornamental Single-drive Gate

		List F	rices	
Opening,	Feet	Each	Opening, Feet	Each
5	_	\$7.00	10	\$12.00
6		7.80	12	14.00
7		8.60	14	16.50
8		10.00		
		List Prices Subj	ect to Discount	
For Hig	her and	Special Width Gates	, See Page 17 for Pri	ices (III)


Cyclone Ornamental Walk and Single-drive Gates

Frames of heavy, steel tubing 13/8 inches outside diameter. Style "F" fabric regularly used. Style "L-Extra" or Style "S" fabric furnished without extra charge on special order. Regularly furnished with scroll tops, also hinges and spring latch for wood posts. See page 17 for complete instructions on how to order Walk and Single-drive Gates.

Cyclone Ornamental Doubledrive Gates

Frames of heavy, steel tubing 13/8 inches outside diameter. Double-drive gates are furnished with fittings so that one-half of gate may be held firmly in place and the other half used as a walk gate. When specially ordered, we furnish a gate rest costing \$1.50 net to go with double-drive gates. See page 17 for complete instructions on how to order Double-drive Gates.

When Ordering Gates, First State Height in Inches, then State Opening in Feet, Thus: 42 inches x 3 feet.



Ornamental Double-drive Gate


						Li	s t	Pr	i c	e s			
He	ight.	. I	nch	ies	Open	ing, Fe	eet						Each
30,	36,	42	or	48-	-	8							\$11.60
30,	36,	42	or	48—		10							14.00
30,	36,	42	or	48-		12							15.60
30,	36,	42	or	48-		14						- •	17.20
					List	Price	s Su	bject	to	Disco	unt		

For Higher and Special Width Gates, See Page 17 for Prices



Cyclone National Farm Gates

RAMES of heavy steel tubing 13% inches in diameter. Fabric is Style "S," the closest mesh ornamental wire fabric made. Pickets of No. 10 heavily galvanized wire spaced 13% inches apart. Gates for openings up to and including 12 feet have one center-bar support, for 14-and 16-foot openings two




supports. All National Gates are provided with an adjustable truss rod which prevents any possible sagging. Regularly furnished with wood post hinges and latch. Steel post fittings furnished to fit any standard style of steel posts at slight additional charge. When steel post fittings are wanted, be sure to mention on order "FOR STEEL POST FITTINGS," stating kind of posts and outside diameter size. Furnished all heavily galvanized or with framework and fittings painted with special gray lead-and-oil paint. Unless otherwise ordered, gates with painted frames will be furnished.

	List Prices	
Height, Inches	Opening, Feet	Price, Each
48 or 54	8	\$ 9.25
48 or 54	10	10.50
48 or 54	12	11.75
48 or 54	14	13.60
48 or 54	16	14.85

For all special size gates we charge the price of our next larger regular size gate plus \$1.00 net.

List Prices Subject to Discount

Cyclone Style "A" Farm Gates



RAMES of heavy steel tubing 13/8 inches in diameter. Fabric heavily galvanized, closely spaced and securely woven into the framework. Gates for openings up to and including 12 feet have one center-bar support; for 14- and 16-foot openings, two supports. Gates for 8-foot opening and over are provided with an adjustable truss rod which prevents any possible sagging. Heavy malleable outside corner fittings increase the strength and rigidity of the gate.

Regularly furnished with wood post hinges and latch. Steel post fittings furnished to fit any standard style of steel posts at slight additional charge. When steel post fittings are wanted, be sure to mention on order "FOR STEEL POST FITTINGS," stating kind of posts and outside diameter size.

List Prices	
Opening, Feet	Price, Each
8	\$ 8.00
10	9.00
12	10.00
14	11.60
16	12.60
	Opening, Feet 8 10 12 14

For all special size gates we charge the price of our next larger regular size gate plus \$1.00 net


List Prices Subject to Discount

When Ordering Farm Gates, First State Height in Inches, then State Opening in Feet, Thus: 48 inches x 14 feet.



Cyclone Iron Fence and **Entrance Gates**

C YCLONE Iron Fence is built in a variety of handsome and exclusive patterns, from which fencing for any purpose may be selected. Cyclone Iron Fence forms an imposing, yet dignified enclosure for private estates, parks, playgrounds, cemeteries, public institutions, athletic fields, schools, colleges, churches and hospitals. When desired, we build iron fence in special designs.




No. 52 Solid Picket Iron Fencing

Specifications for Iron Fence No. 52

Pickets, ½- and 5%-inch, square or round, spaced on 4-inch centers. Pickets, ¾-inch, square or round, spaced on 5-inch centers. Rails for ½-inch and 5%-inch pickets are 1½x1½x3/16-inch angles. Rails for ¾-inch pickets are 2x2x3/16-inch angles. Line posts are 3-inch I-beam with sheared top and spaced approximately 8 ft. apart. Wrought iron panel support furnished for each panel. Corner, end or gate posts of any style shown.

Prices furnished on request




No. 39 Solid Picket Iron Fencing

Specifications

Pickets, $\frac{1}{2}$ - and $\frac{5}{8}$ -inch, square or round, spaced on 4-inch centers. Pickets, $\frac{3}{4}$ -inch, square or round, spaced on 5-inch centers. Rails for $\frac{1}{2}$ - and $\frac{5}{8}$ -inch pickets, $\frac{11}{2}x\frac{1}{2}x\frac{3}{16}$ -inch channel. Rings, cast iron. Picket line posts, same size as pickets in line of fence unless otherwise specified. Panels, approximately 8 ft. Wrought iron panel support furnished for each panel. Corner, end or gate posts of any style shown.

Prices furnished on request





No. 60



No. 42



No. 58 Walk Gate

A few of the many exclusive and artistic patterns of Cyclone Iron Fence

Prices furnished on request

When ordering or asking for prices, send sketch showing dimensions of proposed fence and the location of end, corner and gate posts, also gates. Give gate opening sizes. Show grade of the fence line, and state character of the soil. State style and indicate height of fence desired. Height of fence is measured from ground to top of pickets after being set, allowing about 4 inches clearance between ground line and bottom of pickets.





Iron Entrance Arch No. 11

Iron Entrance Arches

YCLONE Iron Entrance Arches provide a very beautiful and impressive approach to grounds enclosed.

No. 11 is one of our many handsome designs. Frame made of 2inch square hollow steel. Furnished with cast iron letters when desired. Standard width openings 10 and 12 ft. Can be made any width desired.

Gates, 1/2-, 5/8- or 3/4-inch pickets, square or round.

Prices furnished on request

Iron Entrance Arch No. 12


Iron Entrance Arch No. 12, is one of our standard designs very extensively used. Any style gates or fencing, wire or iron, can be used successfully with this arch.

Standard width openings, 10 and 12 feet. Furnished with any lettering desired.

Arch, cast in one piece, 15 inches wide with letters 6 inches high. Gates, 1/2-, 5/8- or 3/4-inch square or round pickets. When desired, gates are furnished separately to hang on iron, stone, brick or concrete posts.

Gates made for any width or height opening.

Prices furnished on request



Iron Entrance Arch No. 12

Boulevard Fence

Forms a very durable protection for public grounds, parks, terraces and private drives. Made in two styles, the "Ex-

tra-Heavy" and "Medium."
"Extra-Heavy" — Posts are $2\frac{1}{2}$ -inch, rail 2-inch heavy tubular steel. "Medium" — Posts are 2-inch, rail $1\frac{3}{8}$ -inch tubular steel. Ball post tops. Furnished all galvanized or painted black, as ordered. See page 7 on how to figure complete fence. Tist Drices


Listilites	
Height of Complete Fence, inches	36 42
Space between rails, inches 1	1 13
"Medium" Weight, price per lineal foot\$1.0	0 \$1.10
"Extra-Heavy" Weight, price per lineal foot 1.5	0 1.65


List Prices Subject to Discount For loafer-point cresting add 30 cents net per lineal foot to above prices



	INI	DEX			
"A" Gates, Style	Page	Gates	Page		
Arches No. 1 Arch, Country Home		FarmIron			
No. 2 " Cemetery	16	National Ornamental			
Walk Gate	16	Safeguard Style "A"	13		
Athletic Field Fence	14	UniversalGates	18		
B B		General Information, Complete Fence	6		
Back Stops, Tennis Court	11	General Information, Gates			
Bird's Eye Views of Factories Border, Flower-bed	5	Skylight Window			
Boulevard Fence	2	I			
Branch Offices	1	Imperial FenceImportant Notice	8 23		
C Compatoring Analysis	15.16	Instructions and TermsIntroductory	23		
Cemetery Arches.	14-20	Iron Arches	21		
Chain Link Fence	11	Iron Gates Iron Posts	20-21		
Colonial Fence Complete Fence		L			
BoulevardClimax	11	Lawn Fence, Fabrics			
Colonial Corinthian	10	List of Products Loafer Point Cresting, Boulevard Fence	1		
ImperialIron	20	M	10		
Majestic Royal		Majestic Fence	12		
Safeguard Suburban	10	National Gates	19		
Complete Fence, General Information Complete Fence, How to Figure	7	Notice, Important			
Complete Fence, How to Make Diagram Complete Fence, How to Erect	7	Ornamental, Gates	18		
Country Home Arch		P			
Cresting, Boulevard Fence	21	Park FencePartitions, Wire, Built-in-Sections	22		
D	_	Perfection Flower-bed Border	13-14		
Diagram, Complete Fence	14	Points of Superiority	20		
Distributors, Western	1-2	Poultry Yard Enclosures Prices of Ornamental Fence Fabrics	5		
E		"Red Tag," The	2		
Enclosures, Poultry Yard Enclosures, Tennis Court	14	Royal Fence	9		
Erect Fence, How to	7	Safeguard FenceS	13-14		
F		Safeguard Gates	13		
Fabrics Style "F"	4	Skylight Guards	22		
Style "L-Extra"	4	Style "L-Extra" Fabric	4		
Factories, CycloneFarm Gates		Style "A" Gates	19		
Fence Athletic Field		Suburban Fence	10		
Back Yard (Climax)	14-20	Tennis-Court Back Stops	14		
Church Estate	13	Tennis-Court Enclosures	14		
Garden "L-Extra" Hospital		Terms and Instructions Trellis, "L-Extra"	23		
InstitutionIron	20	U			
ParkPlayground	13-14	Universal Gates			
Poultry Yard4-8-9-10-11	14	Vine Trellis	5		
School Suburban Home	14	Walk Gate Arches	16		
Tennis CourtFlower-bed Border	14	Window Guards Wire Partitions			
Flower-bed Border.					

Property Protection Pays





Digitized by:

SECTION



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL
www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:
Gerron S. Hite
West Texas Collection, Angelo State University, San Angelo, TX

LOOK FOR THE "Red Tag" The Mark of Quality ON CYCLONE FENCE, GATES AND PRODUCTS



Cyclone Fence Company New York, N. Y.

Phone: Barclay 3595

2787-89 Woolworth Bldg.